

Magnetic nanoparticles covered by or entrapped in lipid bilayers: Advances towards dual cancer therapy

Ana Rita O. Rodrigues,^a B. G. Almeida,^{a,b} J. P. Araújo,^c Maria-João R. P. Queiroz,^d Paulo J. G. Coutinho,^{a,b} Elisabete M. S. Castanheira^a

^aCentre of Physics (CFUM), University of Minho, Campus de Gualtar, 4710-057 Braga, Portugal

^bQuantaLab, University of Minho, Campus de Gualtar, 4710-057 Braga, Portugal

^cIFIMUP/IN - Instituto de Nanociência e Nanotecnologia, R. Campo Alegre, 4169-007 Porto, Portugal

^dCentre of Chemistry (CQUM), University of Minho, Campus de Gualtar, 4710-057 Braga, Portugal

The potential of magnetic nanoparticles for biomedical applications has been recognized, due to their unique size and physicochemical properties. Nanoparticles with superparamagnetic behavior are preferred for these purposes, as they exhibit a strong magnetization only when an external magnetic field is applied.[1]

Magneto-sensitive liposomes can be obtained by the encapsulation of magnetic nanoparticles into liposomes or, alternatively, by the coverage of magnetic particles with a lipid bilayer. Considering the promising applications of the so-called magnetoliposomes in biomedicine, a new therapy is emerging, involving the magnetically-guided transport of drugs (most of them toxic and with systemic side effects) and focusing them in specific sites of the human body. These nanosystems make possible to explore the synergistic effect between chemotherapy and magnetic hyperthermia, giving rise to a dual therapy of cancer.

Recently, both aqueous magnetoliposomes (magnetic nanoparticles entrapped in liposomes) and solid magnetoliposomes (a cluster of particles covered by a lipid bilayer) have been developed, containing either nickel/silica core/shell nanoparticles,[2] nickel ferrite,[3] or manganese ferrite nanoparticles,[4] with diameters below 150 nm, suitable for biomedical applications (Fig. 1A,B). Moreover, both aqueous (AMLs) and solid (SMLs) magnetoliposomes show a superparamagnetic behavior, the SMLs exhibiting a high saturation magnetization (Fig. 1C).




Fig. 1 **A:** SEM image of SMLs containing NiFe₂O₄ nanoparticles (with negative staining). **B:** TEM image of SMLs containing MnFe₂O₄ nanoparticles. **C:** Magnetization hysteresis cycles, measured at 316 K, of MnFe₂O₄ nanoparticles, SMLs and AMLs containing MnFe₂O₄ nanoparticles.

New promising antitumor drugs (thienopyridine derivatives), active against several human tumor cell lines *in vitro*, were successfully incorporated in these magnetic nanosystems,[4] with high encapsulation efficiencies, pointing to a promising application of these systems as nanocarriers for antitumor drugs and as therapeutic agents in combined thermo/chemotherapy of cancer.

- 1) A. Hervault, *et al.*, *Nanoscale*, **2014**, 6, 11553.
- 2) A.R.O. Rodrigues *et al.*, *Mat. Chem. Phys.*, **2014**, 148, 978.
- 3) A.R.O. Rodrigues *et al.*, *Phys. Chem. Chem. Phys.*, **2015**, 17, 18011.
- 4) A.R.O. Rodrigues *et al.*, *RSC Advances*, **2016**, 6, 17302.

Acknowledgements:

Financial support by the Portuguese Foundation for Science and Technology (FCT) in the framework of the Strategic Funding UID/FIS/04650/2013 and UID/QUI/00686/2016 is acknowledged. A.R.O Rodrigues thanks the FCT for SFRH/BD/90949/2012 PhD grant and funding to MAP-Fis Doctoral Program.